ELSEVIER

Computer Physics Communications 88 (1995) 348–349

Computer Physics Communications

Contents to volume 88

Computational physics

Gernoth, K.A. and J.W. Clark
A modified backpropagation algorithm for training neural networks on data with error bars 1

Boyd, J.K.
Electrostatic scalar potential and electric field solution of an axisymmetric accelerator gap 23

Iqbal, M.
On comparison of spline regularization with exponential sampling method for Laplace transform inversion 43

Bajpai, R.P. and S.N. Rai
Retrieval characteristics of multiple site states networks with self-interaction 51

Arter, W.
Three-dimensional modelling of drift-wave turbulence 59

Ramón, J. and J. Peña
Parallelization of KENO-Va Monte Carlo code 76

Speith, R., H. Riffert and H. Ruder
The photon transfer function for accretion disks around a Kerr black hole 109

Li, P.-W.
On the numerical study of the KdV equation by the Semi-Implicit and Leap-frog Method 121

Kotschenreuther, M., G. Rewoldt and W.M. Tang
Comparison of initial value and eigenvalue codes for kinetic toroidal plasma instabilities 128

Knoll, D.A. and P.R. McHugh
Newton–Krylov methods applied to a system of convection-diffusion-reaction equations 141

Feng, Y., B. Wolle and K. Hübner
New, simplified technique for calculating particle source rates due to neutral beam injection into tokamaks 161

Itoh, S., P. Ordejón and R.M. Martin
Order-*N* tight-binding molecular dynamics on parallel computers 173

Charlesworth, J.P.A. and W. Yeung
An algebraic representation of the linear-analytic tetrahedron method 186

Holmström, L., S.R. Sain and H.E. Miettinen
A new multivariate technique for top quark search 195

ELSEVIER

Computer Physics Communications 88 (1995) 348–349

Computer Physics Communications

Contents to volume 88

Computational physics

Gernoth, K.A. and J.W. Clark
A modified backpropagation algorithm for training neural networks on data with error bars 1

Boyd, J.K.
Electrostatic scalar potential and electric field solution of an axisymmetric accelerator gap 23

Iqbal, M.
On comparison of spline regularization with exponential sampling method for Laplace transform inversion 43

Bajpai, R.P. and S.N. Rai
Retrieval characteristics of multiple site states networks with self-interaction 51

Arter, W.
Three-dimensional modelling of drift-wave turbulence 59

Ramón, J. and J. Peña
Parallelization of KENO-Va Monte Carlo code 76

Speith, R., H. Riffert and H. Ruder
The photon transfer function for accretion disks around a Kerr black hole 109

Li, P.-W.
On the numerical study of the KdV equation by the Semi-Implicit and Leap-frog Method 121

Kotschenreuther, M., G. Rewoldt and W.M. Tang
Comparison of initial value and eigenvalue codes for kinetic toroidal plasma instabilities 128

Knoll, D.A. and P.R. McHugh
Newton–Krylov methods applied to a system of convection-diffusion-reaction equations 141

Feng, Y., B. Wolle and K. Hübner
New, simplified technique for calculating particle source rates due to neutral beam injection into tokamaks 161

Itoh, S., P. Ordejón and R.M. Martin
Order-*N* tight-binding molecular dynamics on parallel computers 173

Charlesworth, J.P.A. and W. Yeung
An algebraic representation of the linear-analytic tetrahedron method 186

Holmström, L., S.R. Sain and H.E. Miettinen
A new multivariate technique for top quark search 195

Gorczyca, T.W., M.S. Pindzola, F.S. Shieh and C.L. McCreary
Adaptation of asymptotic close-coupling methods to massively parallel computers 211

Parker, J. and K.T. Taylor
Parallelized implicit propagators for the finite-difference Schrödinger equation 217

Computer programs in physics

Schweinzer, J., F. Aumayr, P. Platzer, M. Schneider, D. Wutte and H.P. Winter
Two programs for calculations of collisional atomic data for lithium beam plasma spectroscopy 83

Kirsch, S. and T. Riemann
SMATASY – a program for the model independent description of the Z resonance 89

Wenzien, B., J. Bormet and M. Scheffler
Green function for crystal surfaces. I 230

Mansky, E.J. and M.R. Flannery
The multichannel eikonal theory program for electron–atom scattering 249

Mansky, E.J. and M.R. Flannery
Automatic generation of analytical matrix elements for electron–atom scattering 278

Berghammer, H., D. Vretenar and P. Ring
Computer program for the time-evolution of a nuclear system in relativistic mean-field theory 293

Kawabata, S.
A new version of the multi-dimensional integration and event generation package BASES/SPRING 309

Hinsen, K.
HYDROLIB: a library for the evaluation of hydrodynamic interactions in colloidal suspensions 327

New version announcements

Steckler, R., W.-P. Hu, Y.-P. Liu, G.C. Lynch, B.C. Garrett, A.D. Isaacson, V.S. Melissas, D.-h. Lu, T.N. Truong, S.N. Rai, G.C. Hancock, J.G. Lauderdale, T. Joseph and D.G. Truhlar
POLYRATE 6.5: A new version of a computer program for the calculation of chemical reaction rates for polyatomics 341

Hu, W.-P., G.C. Lynch, Y.-P. Liu, I. Rossi, J.J.P. Stewart, R. Steckler, B.C. Garrett, A.D. Isaacson, D.-h. Lu, V.S. Melissas and D.G. Truhlar
MORATE 6.5: A new version of a computer program for direct dynamics calculations of chemical reaction rate constants 344

Stuart, R.G.
Erratum: Algebraic reduction of Feynman diagrams to scalar integrals: a *Mathematica* implementation of LERG-I [Comput. Phys. Commun. 85 (1995) 267–277] 347